

# LINERWERX

The Perfect Fit



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

**Pool Kit Ordering Form**

QUOTE  ORDER

Date:	Date Required:
Name:	E-mail Address:
Address:	Daytime Phone: ( )
City:	Cell Phone: ( )
Postal Code:	Fax: ( )
Jobsite Address:	Customer Name:

Pool Size:	Pool Shape:	Corners:
Pool Perimeter:	Step Length:	Steel Length:

**Steel Requirements:** Drawing Attached:  Yes  No

Please Note: Standard Steel Wall Height is 42". Please Specify if you require a different wall height.

42" Straight Panels:		42" Curved Panels:			Custom Panels:		Wall Height:	
Length:	Quantity:	Length:	Radius:	Quantity:	Length:	Straight:	Radius:	Quantity:

**Included In Pool Kit :** Non-Adjustable A-Frames, Stake Rods, Nuts And Bolts

Do you require:

Light Cutouts	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Skimmer Cutouts	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Adjustable A-Frames	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Deck Supports <input type="radio"/> Standard <input type="radio"/> One Piece	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many? Every 2'2"
Additional A-Frames	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Box Brace	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?

Other - Specify:

**Steps:** Note : All Triac Steps include Step Supports Do you require Step Supports  Yes  No

Size	Standard	Cantilever	Straight	Curved	Roman	Other	Colour

Notes / Comments:

**Liner**  Yes  No **Drawing Attached**  Yes  No

Pool Size:	Finished Depth:
Pool Shape:	Finished wall Height:
Floor Pattern:	Corner Type:
Wall Pattern:	Pool Perimeter:
Bead Colour: <input type="radio"/> Standard <input type="radio"/> Other - Specify: <input type="radio"/> Blue <input type="radio"/> Grey <input type="radio"/> White	

Notes / Comments:

**The Perfect Fit**

www.linerwerx.com sales@linerwerx.com

**Pool Cover System**  Yes  No

**Drawing Attached**  Yes  No



Standard Mesh  3x3 Grid  5x5 Grid  Black  Blue  Green  Grey  Taupe

High Density Mesh  3x3 Grid  Black  Blue  Green  Grey  Taupe

**Attach Pool Cover Measure and Order Form Showing Step Location And Obstructions**

Notes / Comments:

**Re-Circulation:**  White  Dark Grey (DGR)  Black (BLK)



SP10852OMTE Auto-Skim Wide Track Re-Circulating Kit

SP10841OMTE Auto-Skim Small Mouth Re-Circulating Kit

The Above Kits Include: Outside Mount Skimmer, Extension Collar, Inlet Fittings (2)  
 Inlet Eyeballs (2), Face Plate Cover, Vac Plate, Main Drains (2)

SP10852OMND Auto-Skim Wide Track Skimmer Kit w/No Main Drains

The Above Kit Includes: Outside Mount Skimmer, Extension Collar, Inlet Fittings (2)  
 Inlet Eyeballs (2), Face Plate Cover, Vac Plate

SP108410M Auto-Skim Small Mouth Skimmer Only

The Above Skimmer Includes: O Face Plate, Gaskets, S.S. Screws and Vacuum Plate

**Returns:**



SP1408 Hayward 1-1/2" x 1-1/2" FIP  White  Dk Grey  Black

SP1419D Hayward 1-1/2" MIP Dir. Flow Outlet - 3/4" Opening  White  Dk Grey  Black

**Main Drains:**



WG1048AV CYC Anti-Vortex Main Drain 1-1/2" 2PACK  White  Dark Grey  
 2 Gaskets, Self cleaning side outlet, 2" Male slip connections, Anti-Vortex cover

**Coping:** All Aluminum Coping 10' Lengths

VCSSWN10 2-3/4" Bullnose Flex Coping Single Track  White  Grey

VCSDWN10 2-3/4" Bullnose Flex Coping Double Track  White  Grey

VTSSWN10 Single Track Top Mount  White  Grey  Black

VTSDWN10 Double Track Top Mount  White  Grey  Black

VSSWU10 Single Track Side Mount  White  Grey

VSSDWU10 Double Track Side Mount  White  Grey

VHSSWU10 Single Hook-A-Track Side Mount  White Only

VHSDWU10 Double Hook-A-Track Side Mount  White Only

Corners For The Above Coping Styles :  6" Rad.  1' Rad.  2' Rad.  4' Rad.  Custom

Notes / Comments:

**Capstone Stegmeier Coping Forms:**

8CF1000NT Clip-Loc Capstone Forms Kit 112' - For Vinyl Liner Pools

9CF912FLEX Clip-Loc Capstone Forms Kit 112' w/Plumb Strip - For Fiberglass Pools

9CSK24 Capstone Step Kit ( Radius )

9CSK24STR Capstone Step Kit ( Straight )

Notes / Comments:

# LINERWERX

*The Perfect Fit*

 **HAYWARD**

18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

**Ladders / Hand Rails**

*( Rails are Marine Grade 316L For Salt Water And Coastal Applications )*

- MG-BLLT-3M *Stainless Steel Deluxe 3 Step Ladder White Tread*
- MGG-BLLT-3M *Stainless Steel Deluxe 3 Step Ladder Grey Tread*
- MG-HRMS-8 *Deck Mounted 8" Bend Return*
- MG-HRSS-8 *Deck Mounted 8" Dip To Pool*
- MG-GRBS-8 *8" Figure 4 Handrail - Pair*
- P-324-L3W *Saftron PVC 3 Step Ladder*       White     Grey

**\*\* Anchors Are Not Included \*\***

- PS-4019BC *4" Bronze Wedge Anchors (Each)*
- PC-4019C *4" Aluminum Wedge Anchors (Each)*
- ANCH-1 *White Plastic Anchor Socket (Each) \*To Be Used w/Saftron Ladders*

Notes / Comments:

**Pool Automation:**

 **HAYWARD**

- PL-P-4-CUL *Hayward AquaLogic Control 4 Function System*
- AQL2-POD *Hayward Aqua Pod Wireless Hand Held PDA*
- AQL2-BASE-RF *Hayward Wireless Base Station*
- HLBASE *Hayward OmniLogic 4 Relay Base*
- T-CELL-9 *Hayward Chlorinator Kit (cell) 25K Gal*
- T-CELL-15 *Hayward Chlorinator Kit (cell) 40K Gal*
- GVA-24 *Valve Actuator 24v, .75A, 15' Cable*
- PSV3S *Diverter Valve 3 Way 1.5" - 2"*

Notes / Comments:

**Chlorine Generator:**

 **HAYWARD**

- AQR-9-CUL *Hayward AquaRite Chlorine Generator w/25K Turbo Cell 120V/240V*
- AQR-15-CUL *Hayward AquaRite Chlorine Generator w/40K Turbo Cell 120V/240V*
- AQR-LS-CUL *Hayward AquaRite **Low Salt** Chlorine Generator w/30K Turbo Cell 120V/240V*
- P-KIT *Hayward Unions & Flo Switch*
- SALT20 *20KG ( 44LBS ) Bag - High Grade Pool Salt*

Notes / Comments:

**Chemical Feeders:**

 **HAYWARD**

- CL200EF *Hayward Auto Chlorine Feeder 9LB ( In-Line ) Includes Mounting Base*
- CL220EF *Hayward Auto Chlorine Feeder 9LB ( Off-Line )*

Notes / Comments:

**Cleaners:**

 **HAYWARD**

- PC925ADV *Hayward Navigator Pro w/SmartDrive Programmed Steering Pattern - Vinyl*
- RC3411ETY *AquaVac 500 Robotic Cleaner w/Cord Swivel, Timer, Sensor*

Notes / Comments:



The Perfect Fit



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

**Pumps:**



- SP2605X7A Hayward 3/4 HP Super Pump
- SP2607X10A Hayward 1 HP Super Pump
- SP3005X7A Hayward 3/4 HP Super II Pump
- SP3200VSPND TriStar Variable Speed ( No Display - controlled by Hayward ProLogic, does not require Pump User Interface )

Notes / Comments:

**Filters:**



- S210TC Hayward Pro Series 21" Sand Filter w/1-1/2" Valve
- S244TC Hayward Pro Series 24" Sand Filter w/1-1/2" Valve
- S244T2 Hayward Pro Series 24" Sand Filter w/2" Valve - No Hose
- SAND50 Sand 22.7kg ( 50 lb. Bag )
- C3030 SwimClear 325 Sq.Ft. Duralon Cartridge Filter
- C4030 SwimClear 425 Sq.Ft. Duralon Cartridge Filter

Notes / Comments:

**Heaters:**



- H250FDN Hayward 250K BTU Natural Gas/Elec Touch - Forced Draft - Dual Thermostat
- UHXNEGVT1250 Hayward Negative Venting ( Vertical ) FD-250
- H250ED2C Hayward 250K BTU Natural Gas/Elec Touch - Forced Draft- Single Thermostat

Notes / Comments:

**Lighting:**

**Please specify:**      **White**          **Grey**   



- SPSUV1002 Dual Colour LED Light Kit , 100' Cord, Deck Box, 6" Niche, Transformer - Small
- LACUS11050 Universal ColorLogic Accent Light - 50' Cord
- SP3495C Deck Box
- SP3495CDGR Deck Box - Dark Grey
- LTBCY11300 Wall Mounted Transformer 300w

Notes / Comments:

**Lighting:**



- AQUASK100 Aqua-Lamp In Wall / Low Voltage Single White Light w/100' Cord
- AQUASK-2 Aqua-Lamp In Wall / Low Voltage Dual White Light w/100' Cord
- AQUASK100-RR Aqua-Lamp Single Colour Light w/Remote & 100' Cord
- AQUASK-2-RR Aqua-Lamp Dual Coloured Light w/Remote & 100' Cord

Notes / Comments:

**Plumbing**

<input type="radio"/> WPIPE 1.5	PVC 1-1/2" White SCH.40 Rigid - 10' Length - CSA
<input type="radio"/> WPIPE 2.0	PVC 2" White SCH.40 Rigid - 10' Length - CSA
<input type="radio"/> FPVC 1.5	1-1/2" Flexible PVC Hose ( 100' Roll )
<input type="radio"/> FPVC 2.0	2" Flexible PVC Hose ( 100' Roll )
<input type="radio"/> 4715	1.5" - 2" Valve - 3 Port - NeverLube
<input type="radio"/> 4717	2" - 2.5" Valve - 3 Port - NeverLube

Notes / Comments:

**Fittings:**

<input type="radio"/> 401-015	1-1/2" Tee ( Slip x Slip X Slip )
<input type="radio"/> 401-209	1-1/2" x 1-1/2" x 1/2" Tee ( Slip x Slip x Slip )
<input type="radio"/> 402-015	1-1/2" x 1-1/2" x 1-1/2" Tee ( Slip x Slip x FIPT )
<input type="radio"/> 406-015	1-1/2" 90 Deg. Elbow ( Slip x Slip )
<input type="radio"/> 407-015	1-1/2" 90 Deg. Elbow ( Slip x FIPT )
<input type="radio"/> 409-015	1-1/2" 90 Deg. Street Elbow ( Spigot x Slip )
<input type="radio"/> 410-015	1-1/2" 90 Deg. Street Elbow ( MIPT x Slip )
<input type="radio"/> 410-020	2" 90 Deg. Street Elbow ( MIPT x Slip )
<input type="radio"/> 417-015	1-1/2" 45 Deg. Elbow ( Slip x Slip )
<input type="radio"/> 429-015	1-1/2" Coupling Socket ( Slip x Slip )
<input type="radio"/> 435-015	1-1/2" Female Adapter ( Slip X FIPT )
<input type="radio"/> 436-015	1-1/2" Male Adapter ( MIPT x Slip )
<input type="radio"/> 437-251	2" x 1-1/2" Bushing Reducer ( Spigot x Slip )
<input type="radio"/> 438-210	1-1/2" x 3/4" Bushing Reducer ( Spigot x FIPT )
<input type="radio"/> 438-211	1-1/2" x 1" Bushing Reducer ( Spigot x FIPT )
<input type="radio"/> 439-211	1-1/2" x 1" Threaded Bushing ( MIPT x FIPT )
<input type="radio"/> 447-015	1-1/2" Cap Socket ( Slip )
<input type="radio"/> 449-015	1-1/2" Plug - Insert ( Spigot )
<input type="radio"/> 450-015	1-1/2" Plug ( MIPT )
<input type="radio"/> 474-015	1-1/2" Adapter - Barbed ( Insert x Slip )
<input type="radio"/> 150-010	Prahar 1-1/2" Union Ball Valve Blocked ( Slip x Slip )
<input type="radio"/> 200-010	Prahar 2" Union Ball Valve Blocked ( Slip x Slip )
<input type="radio"/> 4715	1-1/2" Diverter Valve 3 Port Never Lube
<input type="radio"/> 4717	2" Diverter Valve 3 Port Never Lube
<input type="radio"/> 150-100	Prahar 1-1/2" Union ( Slip x Slip )
<input type="radio"/> 200-100	Prahar 2" Union ( Slip x Slip )

Notes / Comments:

**Poly Fittings:**

<input type="radio"/> PPA - 050	1/2" Insert Male Adapter
<input type="radio"/> PPA - 075	3/4" Insert Male Adapter
<input type="radio"/> PPA - 125	1-1/4" Insert Male Adapter
<input type="radio"/> PPA - 150	1-1/2" Insert Male Adapter
<input type="radio"/> PPA - 200	2" Insert Male Adapter
<input type="radio"/> PPC - 125	1-1/4" Insert Coupling
<input type="radio"/> PPC - 150	1-1/2" Insert Coupling
<input type="radio"/> PPC - 200	2" Insert Coupling
<input type="radio"/> PPE - 125	1-1/4" Insert 90 Degree Elbow
<input type="radio"/> PPE - 150	1-1/2" Insert 90 Degree Elbow
<input type="radio"/> PPE - 200	2" Insert 90 Degree Elbow
<input type="radio"/> PPME - 075	3/4" Combination Elbow
<input type="radio"/> PPME - 125	1-1/4" Combination Elbow
<input type="radio"/> PPME - 150	1-1/2" Combination Elbow
<input type="radio"/> PPRA - 1510	1-1/2" x 1" Reducing Male Adapter
<input type="radio"/> PPRT - 0.50	1-1/2" x 1-1/2" x 1/2" Insert Reducing Tee
<input type="radio"/> PPRT - 0.75	1-1/2" x 1-1/2" x 3/4" Insert Reducing Tee
<input type="radio"/> PPT - 125	1-1/4" Insert Tee
<input type="radio"/> PPT - 150	1-1/2" Insert Tee
<input type="radio"/> PPT - 200	2" Insert Tee
<input type="radio"/> A15S15B	Jacuzzi 1-1/2" Hose Adapter
<input type="radio"/> E15S15B	Jacuzzi 1-1/2" 90 Deg. Elbow
<input type="radio"/> Poly Pipe 15213	Poly Pipe 1-1/2" x 100' CSA-75 Red Stripe

**Maintenance & Misc. Parts:**

<input type="radio"/> R131106R201398	Maintenance Kit: Vac Head, Leaf Skimmer, Wall Brush, Test Kit & Hose Hanger
<input type="radio"/> R191306	2 PC. Telescopic Pole - High Quality Aluminum Tubing - E-Z Lock (8'-15'6")
<input type="radio"/> SW-150-00	1-1/2" Vacuum Hose <input type="radio"/> -25' <input type="radio"/> -30' <input type="radio"/> -35' <input type="radio"/> -40' <input type="radio"/> -45'
<input type="radio"/> SW-000	1-1/2" Backwash Hose <input type="radio"/> -050' <input type="radio"/> -100'
<input type="radio"/> 00 x 00	Inground Rectangular Solar Blanket Clear - 22 Sizes Available
<input type="radio"/> FG1B	End Pack - Wheels Solar Roller
<input type="radio"/> FG-L18	Tube Pack - Anodized Tube Max. Ext. 18' 6"
<input type="radio"/> FG-IG20	Tube Pack - Anodized Tube Max. Ext. 20' 6"
<input type="radio"/> FG3	End Pack - Low Profile Solar Roller
<input type="radio"/> FG-IG20P	Tube Pack - Plugged Tube Max. Ext. 20' 6" - For FG3 Only

Notes / Comments:



*The Perfect Fit*



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
 Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
 Fax 905-684-9078 Toll Free Fax 800-684-9078  
 www.linerwerx.com sales@linerwerx.com

**ENERSOL - SOLAR HEATING**

- 4008                  *Solar Panel 4' x 8' ( 32 Sq.Ft. )*
- 4010                  *Solar Panel 4' x 10' ( 40 Sq.Ft. )*
- 50000                *System Kit for Solar Panels*
- AQ-SOL-KIT-1P      *Actuator and 1-1/2" 3 Port Valve and Temp Sensor*
- ASC-1P-A-LV        *AQ-SOL-LV Control w/Valve, Actuator, and Sensor*

Notes / Comments:

**Cement, Primer, Misc.**

- WD725P              *1 Pint Blue Wet 'R' Dry Cement*
- WD725QT            *1 Quart Blue Wet 'R' Dry Cement*
- WD747P              *1 Pint PVC Cement Blue*
- WD747QT            *1 Quart PVC Cement Blue*
- WD70P                *1 Pint PVC Primer Clear*
- WD70QT             *1 Quart PVC Primer Clear*
- DT60                 *Duct Tape 2" x 60 yds.*
- TTP                    *Teflon Tape 1/2" x 540" Pink*
- HF24SS              *1-1/2" All Stainless Clamp*
- HF32SS              *2" All Stainless Clamp*
- 289WH120          *T-Bead Liner Lock 120' White*
- 2890GR120         *T-Bead Liner Lock 120' Grey*
- LLAD WHITE 300   *Popsicle Stick Liner Lock Roll 300'*
- PVC INSERT-6"     *6" PVC Corner Insert*
- VM-290                *Adhesive Caulking Clear 290ml*
- VM-85                 *Adhesive Caulking Clear 85ml*
- VM-GALV             *Galvanizing Spray 400ml*

**NOTES / ADDITIONAL ITEMS**