

# LINERWERX

The Perfect Fit



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

### Pool Kit Ordering Form

QUOTE  ORDER

Date:	Date Required:
Name:	E-mail Address:
Address:	Daytime Phone: (    )
City:	Cell Phone: (    )
Postal Code:	Fax: (    )
Jobsite Address:	Customer Name:

Pool Size:                      Pool Shape:                      Corners:

Pool Perimeter:                      Step Length:                      Steel Length:

**Steel Requirements:**                      Drawing Attached:  Yes  No

Please Note: Standard Steel Wall Height is 42". Please Specify if you require a different wall height.

Steel Step:     Yes     No     Straight                       Curved                       Diagonal

Steel Step :                       Inside Pool                       Outside Pool                      Length \_\_\_\_\_

Steel Bench:     Yes     No     Inside Pool                       Outside Pool                      Length \_\_\_\_\_

**Included In Pool Kit :** Non-Adjustable A-Frames, Stake Rods, Nuts And Bolts

Do you require:

Light Cutouts	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Skimmer Cutouts	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Return Cutouts	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Standard Deck Supports	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?    Every 2'2"
One Piece Deck Supports	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?    Every 2'2"
Nuts & Bolts for Deck Supports	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> 100 <input type="radio"/> 125 <input type="radio"/> 150 <input type="radio"/> 175
Non Additional A-Frames	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?
Adjustable A-Frames	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> How Many?

**Steps:**                      **Note :** All Triac Steps include Step Supports

Size	Standard	Cantilever	Straight	Curved	Roman	Other	Colour

Notes / Comments:

**Step Jets: No Air** \_\_\_\_\_

SP1023                       White                       Grey                       Black

SP1419D                       White                       Grey

**Step Jet Kit:** \_\_\_\_\_                       White                       Grey

Kit Includes: 2 - Jets, 2 - Air Controls, 1 - 1.5" Tee, 2 - Winterizing Plugs, 1 - Eyeball Wrench  
2 - 3' of 1/2" Flex Pipe for Air Controls, 1 - Can Wet/Dry Glue, Various Plugs and Reducers

**Liner**                       Yes  No                      Drawing Attached  Yes  No

Pool Size:                      Finished Depth:

Pool Shape:                      Finished wall Height:

Floor Pattern:                      Corner Type:

Wall Pattern:                      Pool Perimeter:

Bead Colour:                      If Not Specified - White will be Used     Black     Blue     Grey     White

Notes / Comments:

# LINERWERX

The Perfect Fit



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

**Pool Cover System**  Yes  No **Drawing Attached**  Yes  No

Standard Mesh - Rectangles Only  3x3 Grid  5x5 Grid  Black  Blue  Green  Grey  Taupe

Standard Mesh - All other shapes - 3x3 Grid ONLY  Black  Blue  Green  Grey  Taupe

High Density Mesh - Available in 3x3 Grid ONLY  Black  Blue  Green  Grey  Taupe

**Attach Pool Cover Measure and Order Form Showing Step Location And Obstructions**

Notes / Comments:

**Re-Circulation:**  White  Grey

SP10852OMTE Auto-Skim Wide Track Re-Circulating Kit

SP10841OMTE Auto-Skim Small Mouth Re-Circulating Kit

The Above Kits Include: Outside Mount Skimmer, Extension Collar, Inlet Fittings (2)  
Inlet Eyeballs (2), Face Plate Cover, Vac Plate, Main Drains (2)

SP10852OM Auto-Skim Wide Track Skimmer Only

SP10841OM Auto-Skim Small Mouth Skimmer Only

Notes / Comments:

**Returns:**

SP1408 Hayward 1-1/2" x 1-1/2" FIP  White  Grey  Black

SP1419D Hayward 1-1/2" MIP Dir. Flow Outlet - 3/4" Opening  White  Grey

**Main Drains:**

WG1048AVPAK2 CYC Anti-Vortex Main Drain 1-1/2" 2PACK  White  Grey

2 Gaskets, Self cleaning side outlet, 2" Male slip connections, Anti-Vortex cover

**Coping:** All Aluminum Coping 10' Lengths

VCSSWN10 2-3/4" Bullnose Flex Coping Single Track  White  Grey

VCSDWN10 2-3/4" Bullnose Flex Coping Double Track  White  Grey

VTESWN10 Single Track Top Mount w/Front Edge Lip  White  Grey  Black

VTSDWN10 Double Track Top Mount  White  Grey  Black

VSSWU10 Single Track Side Mount  White  Grey

VSSDWU10 Double Track Side Mount  White  Grey

VHSSWU10 Single Hook-A-Track Side Mount  White Only

VHSDWU10 Double Hook-A-Track Side Mount  White Only

Corners For The Above Coping Styles :  6" Rad.  1' Rad.  2' Rad.  4' Rad.  Custom

Single Track Top Mount w/Front Edge Lip not available for 6" Corner - use Standard no Lip

**Deck Jets:**

JDJ 2004 Deck Jet 4 Pak

WFJ500PAK4 Hayward Deck Jet 4 Pak

**Modern Coping Forms:**

MM-NC Foam Cantilever Coping Forms - 112' - Use with Top Mount Coping Only

MM-CC Re-Usable Clips for Forms - 100/box

MM-CC-FG100 Clips for Fiberglass Steps - 100/box

RG286 Filament Tape 3" x 180'

S002 Slide Hammer - Clip Remover

**Pool Automation:**



- PL-P-4-CUL Hayward ProLogic Control 4 Function System - 4 relay, 3 valve, 1 heater & solar
- PL-PS-4-CUL Hayward ProLogic Control 4 Function System - 4 relay, 4 valve, 2 heater & solar
- AQL2-BASE-RF Hayward Wireless Base Station
- AQ-CO-HOMENET Aqua Connect Home Network Interface
- PL-P-4-CUL + AQL2-BASE-RF + AQ-CO-HOMENET + T-CELL + P-KIT = COMPLETE SYSTEM**
- HLBASE Hayward OmniLogic 4 Relay Base ( add Antenna, Cell, Valve Actuator )
- HLWLAN Hayward OmniLogic Wireless Network Antenna
- HLBASE + HLWLAN + T-CELL + GVA-24 = COMPLETE SYSTEM**
- AQL2-POD2 Hayward Aqua Pod Wireless Hand Held PDA
- AQL-CHEM Sense and Dispense Chemistry Kit - PH & Orp Sense, Orp Dispense
- T-CELL-9 Hayward Chlorinator Kit (cell) 25K Gal
- T-CELL-15 Hayward Chlorinator Kit (cell) 40K Gal
- P-KIT Salt Chlorination Plumbing Kit
- GVA-24 Valve Actuator 24v, .75A, 15' Cable
- PSV3S Diverter Valve 3 Way - 1.5 "/ 2"
- PSV3S2 Diverter Valve 3 Way - 2 "/ 2.5"

Notes / Comments:

**Chlorine Generator:**



- AQR-9-CUL Hayward AquaRite Chlorine Generator w/25K Turbo Cell 120V/240V
- AQR-15-CUL Hayward AquaRite Chlorine Generator w/40K Turbo Cell 120V/240V
- AQR-LS-CUL Hayward AquaRite **Low Salt** Chlorine Generator w/30K Turbo Cell
- AQR925-CUL Hayward AquaRite Chlorine Generator w/25K Cell
- AQR940-CUL Hayward AquaRite Chlorine Generator w/40K Cell
- P-KIT Hayward Unions & Flo Switch
- SALT20 20KG ( 44LBS ) Bag - High Grade Pool Salt \*

**Chemical Feeders:**



- CL200EF Hayward Auto Chlorine Feeder 9LB ( In-Line ) Includes Mounting Base
- CL220EF Hayward Auto Chlorine Feeder 9LB ( Off-Line )

Notes / Comments:

**Cleaners:**



- HSC 925CV Navigator V-Flex Suction Cleaner, Preprogrammed Patterns, Clog Free
- RC3431CTY Wall Climbing Robotic Cleaner w/Swivel Cord, Timer, Caddy

Notes / Comments:

**LADDERS / HANDRAILS - INGROUND STAINLESS STEEL**

- REG-RR *Regular 3 Tread Resin*
- SIL-SS *Silver Camelback 3 Tread SS*
- SSHRSS8 *Dip To Pool Handrail Spruce*
- SSHRWS8 *8" Bend Return To Deck - Willow*
- SSHRMS8 *8" Bend Return To Deck - Maple*
- FIG-4 *8" Figure 4 Handrails Pair - Birch*

**\*\* Anchors Are Not Included \*\***

**ANCHORS & ACCESSORIES**

- LADDERJIG *Ladder Jig*
- PS-4019BC *4" Bronze Wedge Anchor - Each*
- PS-4019-C *4" Aluminum Wedge Anchor - Each*
- PF-3119-A *Deck Anchor - Each*

**LADDERS / HANDRAILS - INGROUND STAINLESS STEEL - MARINE GRADE FOR SALT**

- REG-RR-M *Regular 3 Tread - Resin Tread - Salt*
- SIL-SS-M *Silver 3 Tread Salt*
- MG-BLLT-3S *Deluxe 3 Step Ladder w/Escutcheons, Bumpers & Hardware - White*
- MGG-BLLT-3S *Deluxe 3 Step Ladder w/Escutcheons, Bumpers & Hardware - Grey*
- MG-HRMS-8 *8" Bend Return To Deck - Maple*
- MG-HRSS-8 *8" Dip To Pool - Spruce*
- MG-GRBS-8 *8" Figure 4 Handrails - Pair - Birch*

**\*\* Anchors Are Not Included \*\***

**SAFTRON VINYL LADDERS & RAILS & ANCHOR - Bonding / Grounding NOT Required**

- P-324-L3W *3 Step Vinyl Ladder - White*
- P-324G-L3G *3 Step Vinyl Ladder - Grey*
- P-324-L3GG *3 Step Vinyl Ladder - Graphite Grey*
- RTD-448W *4 Bend Return To Deck Handrail - White*
- RTD-448G *4 Bend Return To Deck Handrail - Grey*
- CBRTD-354W *PVC Handrail - Dip - White*
- CBRTD-354G *PVC Handrail - Dip - Grey*

**\*\* Anchors Are Not Included \*\***

- ANCH-1 *White Plastic Anchor Socket - Each*

Notes / Comments:

**Pumps:**



<input type="radio"/> SP2605X7A	Hayward 3/4 HP Super Pump	*
<input type="radio"/> SP2607X10A	Hayward 1 HP Super Pump	*
<input type="radio"/> SP3005X7A	Hayward 3/4 HP Super II Pump	
<input type="radio"/> SP3007X10A	Hayward 1 HP Super II Pump	
<input type="radio"/> SP3007X102S	Hayward 1 HP Super II Pump - 2 Speed w/Switch	
<input type="radio"/> SP3200VSPND	TriStar Variable Speed for ProLogic/OmniLogic NO DISPLAY	
<input type="radio"/> SP3400VSP	Eco Star - Variable Speed	
<input type="radio"/> HCP3400VSPVR	Eco Star - Variable Speed W/Safety Vacuum Release System	
<input type="radio"/> SP23510VSP	MaxFlo 500 Variable Speed - 115V	
<input type="radio"/> SP23520VSP	MaxFlo 500 Variable Speed - 230V	
<input type="radio"/> SP32900VSP	TriStar VS 900 Variable Speed	

**Filters:**



<input type="radio"/> S210TC	Hayward Pro Series 21" Sand Filter w/1-1/2" Valve - 4.5 Sand	
<input type="radio"/> S220TC	Hayward Pro Series 22" Sand Filter w/1-1/2" Valve - 5 Sand	
<input type="radio"/> S244TC	Hayward Pro Series 24" Sand Filter w/2" Valve - 6 Sand	
<input type="radio"/> SAND50	Sand 22.7kg ( 50 lb. Bag )	*
<input type="radio"/> C3030	SwimClear 325 Sq.Ft. Duralon Cartridge Filter	
<input type="radio"/> C4030	SwimClear 425 Sq.Ft. Duralon Cartridge Filter	

**Heaters:**



<input type="radio"/> H150FDN	150 BTU Natural Gas/Elec Touch - Forced Draft - Dual Thermostat
<input type="radio"/> H200FDN	200 BTU Natural Gas/Elec Touch - Forced Draft - Dual Thermostat
<input type="radio"/> H250FDN	250 BTU Natural Gas/Elec Touch - Forced Draft - Dual Thermostat
<input type="radio"/> H300FDN	300 BTU Natural Gas/Elec Touch - Forced Draft - Dual Thermostat
<input type="radio"/> UHXNEGVT11501	Negative Venting - Vertical - FD150
<input type="radio"/> UHXNEGVT12001	Negative Venting - Vertical - FD200
<input type="radio"/> UHXNEGVT12501	Negative Venting - Vertical - FD250
<input type="radio"/> UHXNEGVT13001	Negative Venting - Vertical - FD300
<input type="radio"/> UHXPOSHZ11501	Positive Venting - Horizontal - FDN150
<input type="radio"/> UHXPOSHZ12001	Positive Venting - Horizontal - FDN200
<input type="radio"/> UHXPOSHZ12501	Positive Venting - Horizontal - FDN250
<input type="radio"/> UHXPOSHZ13001	Positive Venting - Horizontal - FDN300
<input type="radio"/> IDXLELB1930	6" SS 90 Degree Elbow - Horizontal Venting
<input type="radio"/> FDXLELB1930	8" SS 90 Degree Elbow - Horizontal Venting
<input type="radio"/> IDXLEN1931	6" SS 24" Length - Horizontal Venting
<input type="radio"/> FDXLEN1930	8" SS 24" Length - Horizontal Venting
<input type="radio"/> IDXLCAP1930	6" SS Termination Cap - Horizontal Venting
<input type="radio"/> FDXLCAP1930	8" SS Termination Cap - Horizontal Venting

*Heater - Outdoor Use - No Venting Required*

Heater	Indoor Vertical Stack	Indoor Horizontal Stack
H150FDN	UHXNEGVT11501	UHXPOSHZ11501 IDXLELB1930 IDXLEN1931 IDXLCAP1930
H200FDN	UHXNEGVT12001	UHXPOSHZ12001 IDXLELB1930 IDXLEN1931 IDXLCAP1930
H250FDN	UHXNEGVT12501	UHXPOSHZ12501 IDXLELB1930 IDXLEN1931 IDXLCAP1930
H300FDN	UHXNEGVT13001	UHXPOSHZ13001 FDXLELB1930 FDXLEN1930 FDXLCAP1930





The Perfect Fit



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
Phone 905-684-3731 Toll Free 866-684-WERX (9379)

Fax 905-684-9078 Toll Free Fax 800-684-9078  
www.linerwerx.com sales@linerwerx.com

<b>Lighting:</b>	<b>Please specify:</b>	<b>White</b> <input type="radio"/>	<b>Grey</b> <input type="radio"/>	
<input type="radio"/> SP590KIT202	<i>Dual White Light Kit, 20' Cord, 100' Spool, Deck Box, 6" Niche, Transformer Sm.</i>			
<input type="radio"/> SPSUV1002	<i>Dual Colour LED Light Kit, 100' Cord, Deck Box, 6" Niche, Transformer - Small</i>			
<input type="radio"/> LSLUS11100	<i>Universal LED White Small Light, 12V, Switch, 100' Cord, 100W Equivalent</i>			
<input type="radio"/> LSCUS11100	<i>Universal LED Colour Small Light, 12V, Switch, 100' Cord, 100W Equivalent</i>			
<input type="radio"/> LQGUY1000	<i>Dark Grey LED Trim - Small</i>			
<input type="radio"/> SPX0608CDGR	<i>Dark Grey Niche Face Plate - Small Niche</i>			
<input type="radio"/> LACCS11100	<i>UCL Accent Light 320w/FTG - 100' Cord</i>			
<input type="radio"/> SP3495	<i>Deck Box</i>	<input type="radio"/> White	<input type="radio"/> Grey	
<input type="radio"/> LTBCY11300	<i>Wall Mounted Transformer 300w</i>			
<input type="radio"/> PX50	<i>Transformer 50w</i>			
<input type="radio"/> PX100	<i>Transformer 100w</i>			

Notes / Comments:

**AQUALAMP LIGHTING**



<input type="radio"/> AQUA-100	<i>Single White Light - Complete w/100' Cord - White</i>
<input type="radio"/> AQUA-100-GREY	<i>Single White Light - Complete w/100' Cord - Grey</i>
<input type="radio"/> AQUA-100-WLED-SYS	<i>Single White LED - Complete w/100' Cord - White</i>
<input type="radio"/> AQUA-100-WLED-SYS - GREY	<i>Single White LED - Complete w/100' Cord - Grey</i>
<input type="radio"/> AQUA-2	<i>Double White Light - Complete w/100' Cord - White</i>
<input type="radio"/> AQUA-2-GREY	<i>Double White Light - Complete w/100' Cord - Grey</i>
<input type="radio"/> AQUA-2-WLED-SYS	<i>Double White LED Light - Complete w/100' Cord - White</i>
<input type="radio"/> AQUA-2-WLED-SYS -GREY	<i>Double White LED Light - Complete w/100' Cord - Grey</i>
<input type="radio"/> AL 20	<i>Wireless Remote Control w/Key Chain</i>
<input type="radio"/> AQUA-100-RR	<i>Single Colour LED Light - Complete w/Remote &amp; 100' Cord</i>
<input type="radio"/> AQUA-100-RR-GREY	<i>Single Colour LED Light - Complete w/Remote &amp; 100' Cord</i>
<input type="radio"/> AQUA-2-RR	<i>Double Colour LED Light - Complete w/Remote &amp; 100' Cord</i>
<input type="radio"/> AQUA-2-RR - GREY	<i>Double Colour LED Light - Complete w/Remote &amp; 100' Cord</i>

Notes / Comments:



**The Perfect Fit**



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
 Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
 Fax 905-684-9078 Toll Free Fax 800-684-9078  
 www.linerwerx.com sales@linerwerx.com

**Plumbing**

<input type="radio"/>	WPIPE 1.5	PVC 1-1/2" White SCH.40 Rigid - 10' Length - CSA	
<input type="radio"/>	WPIPE 2.0	PVC 2" White SCH.40 Rigid - 10' Length - CSA	
<input type="radio"/>	FPVC 1.5	1-1/2" Flexible PVC Hose ( 100' Roll )	*
<input type="radio"/>	FPVC 2.0	2" Flexible PVC Hose ( 100' Roll )	*

**Fittings & Valves:**

<input type="radio"/>	401-015	1-1/2" Tee ( Slip x Slip X Slip )	
<input type="radio"/>	401-209	1-1/2" x 1-1/2" x 1/2" Tee ( Slip x Slip x Slip )	
<input type="radio"/>	402-015	1-1/2" x 1-1/2" x 1-1/2" Tee ( Slip x Slip x FIPT )	
<input type="radio"/>	406-015	1-1/2" 90 Deg. Elbow ( Slip x Slip )	
<input type="radio"/>	407-015	1-1/2" 90 Deg. Elbow ( Slip x FIPT )	
<input type="radio"/>	409-015	1-1/2" 90 Deg. Street Elbow ( Spigot x Slip )	
<input type="radio"/>	410-015	1-1/2" 90 Deg. Street Elbow ( MIPT x Slip )	
<input type="radio"/>	410-020	2" 90 Deg. Street Elbow ( MIPT x Slip )	
<input type="radio"/>	411-9110	1-1/2" Socket x 1-1/2" Socket Sweep ELL	
<input type="radio"/>	411-9130	2" Socket x 2" Socket Sweep ELL	
<input type="radio"/>	417-015	1-1/2" 45 Deg. Elbow ( Slip x Slip )	
<input type="radio"/>	429-015	1-1/2" Coupling Socket ( Slip x Slip )	
<input type="radio"/>	435-015	1-1/2" Female Adapter ( Slip X FIPT )	
<input type="radio"/>	436-015	1-1/2" Male Adapter ( MIPT x Slip )	
<input type="radio"/>	437-251	2" x 1-1/2" Bushing Reducer ( Spigot x Slip )	
<input type="radio"/>	438-210	1-1/2" x 3/4" Bushing Reducer ( Spigot x FIPT )	
<input type="radio"/>	438-211	1-1/2" x 1" Bushing Reducer ( Spigot x FIPT )	
<input type="radio"/>	439-211	1-1/2" x 1" Threaded Bushing ( MIPT x FIPT )	
<input type="radio"/>	447-015	1-1/2" Cap Socket ( Slip )	
<input type="radio"/>	449-015	1-1/2" Plug - Insert ( Spigot )	
<input type="radio"/>	450-015	1-1/2" Plug ( MIPT )	
<input type="radio"/>	474-015	1-1/2" Adapter - Barbed ( Insert x Slip )	
<input type="radio"/>	150-010	Prahar 1-1/2" Union Ball Valve Blocked ( Slip x Slip )	
<input type="radio"/>	200-010	Prahar 2" Union Ball Valve Blocked ( Slip x Slip )	
<input type="radio"/>	4715	1-1/2" Diverter Valve 3 Port Never Lube	
<input type="radio"/>	4717	2" Diverter Valve 3 Port Never Lube	
<input type="radio"/>	150-100	Prahar 1-1/2" Union ( Slip x Slip )	
<input type="radio"/>	200-100	Prahar 2" Union ( Slip x Slip )	
<input type="radio"/>	150-CV-TRI	Prahar Check Valve 1-1/2" (1/4 - 2lb) SKT - 3 Spring Loads - 1/4lb, 1/2lb, 2lb	
<input type="radio"/>	200-CV-TRI	Prahar Check Valve 2" (1/4 - 2lb) SKT - 3 Spring Loads - 1/4lb, 1/2lb, 2lb	
<input type="radio"/>	7235	1-1/2" 180 Degree Jandy Check Valve	
<input type="radio"/>	7305	2" 180 Degree Jandy Check Valve	
<input type="radio"/>	7511	1-1/2" 90 Degree Jandy Check Valve	
<input type="radio"/>	7512	2" 90 Degree Jandy Check Valve	
<input type="radio"/>	SP1500UNPAK2C	Union Connector Socket - 2 Pak	



**The Perfect Fit**



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
 Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
 Fax 905-684-9078 Toll Free Fax 800-684-9078  
 www.linerwerx.com sales@linerwerx.com

**Poly Fittings:**

<input type="radio"/>	PPA - 050	1/2" Insert Male Adapter
<input type="radio"/>	PPA - 075	3/4" Insert Male Adapter
<input type="radio"/>	PPA - 125	1-1/4" Insert Male Adapter
<input type="radio"/>	PPA - 150	1-1/2" Insert Male Adapter
<input type="radio"/>	PPA - 200	2" Insert Male Adapter
<input type="radio"/>	PPC - 125	1-1/4" Insert Coupling
<input type="radio"/>	PPC - 150	1-1/2" Insert Coupling
<input type="radio"/>	PPC - 200	2" Insert Coupling
<input type="radio"/>	PPE - 125	1-1/4" Insert 90 Degree Elbow
<input type="radio"/>	PPE - 150	1-1/2" Insert 90 Degree Elbow
<input type="radio"/>	PPE - 200	2" Insert 90 Degree Elbow
<input type="radio"/>	PPME - 075	3/4" Combination Elbow
<input type="radio"/>	PPME - 125	1-1/4" Combination Elbow
<input type="radio"/>	PPME - 150	1-1/2" Combination Elbow
<input type="radio"/>	PPRA-150-150-100	1-1/2" x 1" Reducing Male Adapter
<input type="radio"/>	PPRT-150-150-050	1-1/2" x 1-1/2" x 1/2" Insert Reducing Tee
<input type="radio"/>	PPRT-150-150-075	1-1/2" x 1-1/2" x 3/4" Insert Reducing Tee
<input type="radio"/>	PPT - 125	1-1/4" Insert Tee
<input type="radio"/>	PPT - 150	1-1/2" Insert Tee
<input type="radio"/>	PPT - 200	2" Insert Tee
<input type="radio"/>	A15S15B	Jacuzzi 1-1/2" Hose Adapter
<input type="radio"/>	E15S15B	Jacuzzi 1-1/2" 90 Deg. Elbow
<input type="radio"/>	Poly Pipe 15213	Poly Pipe 1-1/2" x 100' CSA-75 Red Stripe

**Notes / Comments:**

**Maintenance & Misc. Parts:**

<input type="radio"/>	R131106R201398	Maintenance Kit: Vac Head, Leaf Skimmer, Wall Brush, Test Kit & Hose Hanger
<input type="radio"/>	SW885	Maintenance Kit: Vac Head, Leaf Skimmer, Wall Brush, Test Kit & Thermometer
<input type="radio"/>	R191306	2 PC. Telescopic Pole - High Quality Aluminum Tubing - E-Z Lock (8'-15'6")
<input type="radio"/>	SW694	Rigid Pole - Blue 8-16' DixCam
<input type="radio"/>	75690C	Telescopic Fiberglass Pole 8-16'
<input type="radio"/>	SW-150-00	1-1/2" Vacuum Hose <input type="radio"/> -25' <input type="radio"/> -30' <input type="radio"/> -35' <input type="radio"/> -40' <input type="radio"/> -45'
<input type="radio"/>	SW-000	1-1/2" Backwash Hose <input type="radio"/> -050' <input type="radio"/> -100'
<input type="radio"/>	00 x 00	Inground Rectangular Solar Blanket Clear - 22 Sizes Available <a href="#">See Poolwerx Book</a>
<input type="radio"/>	FG1B	End Pack - Wheels Solar Roller
<input type="radio"/>	FG-L18	Tube Pack - Anodized Tube Max. Ext. 18' 6"
<input type="radio"/>	FG-IG20	Tube Pack - Anodized Tube Max. Ext. 20' 6"
<input type="radio"/>	FG3	End Pack - Low Profile Solar Roller
<input type="radio"/>	FG-IG20P	Tube Pack - Plugged Tube Max. Ext. 20' 6" - For FG3 Only
<input type="radio"/>	SUPGIZ	Super Gizzmo

**Notes / Comments:**





**The Perfect Fit**



18 Seapark Dr., Unit 6, St. Catharines, ON L2M 6S6  
 Phone 905-684-3731 Toll Free 866-684-WERX (9379)  
 Fax 905-684-9078 Toll Free Fax 800-684-9078  
 www.linerwerx.com sales@linerwerx.com

**Cement, Primer, Misc.**

<input type="radio"/>	WD795-CLEAR-QP	1/4 Pint - Flex PVC Cement	
<input type="radio"/>	WD795-CLEAR-PT	1 Pint - Flex PVC Cement	
<input type="radio"/>	WD795-CLEAR-QT	1 Quart - Flex PVC Cement	
<input type="radio"/>	WD704-CLEAR-QP	1/4 Pint - PVC Med Body Cement Clear	
<input type="radio"/>	WD704-CLEAR-PT	1 Pint - PVC Med Body Cement Clear	
<input type="radio"/>	WD704-CLEAR-QT	1 Quart - PVC Med Body Cement Clear	
<input type="radio"/>	WD747-BLUE-QP	1/4 Pint PVC Cement Blue	
<input type="radio"/>	WD747-BLUE-PT	1 Pint PVC Cement Blue	
<input type="radio"/>	WD747-BLUE-QT	1 Quart PVC Cement Blue	
<input type="radio"/>	WD70-CLEAR-QP	1/4 Pint - Clear PVC Primer	
<input type="radio"/>	WD70-CLEAR-PT	1 Pint - Clear PVC Primer	
<input type="radio"/>	WD70-CLEAR-QT	1 Quart - Clear PVC Primer	
<input type="radio"/>	DT60	Duct Tape 2" x 60 yds.	
<input type="radio"/>	TTP	Teflon Tape 1/2" x 540" Pink	
<input type="radio"/>	HF24SS	1-1/2" All Stainless Clamp - Box of 10	
<input type="radio"/>	HF32SS	2" All Stainless Clamp - Box of 10	
<input type="radio"/>	289WH120	T-Bead Liner Lock 120' White	
<input type="radio"/>	2890GR120	T-Bead Liner Lock 120' Grey	
<input type="radio"/>	LLAD WHITE 300	Popsicle Stick Liner Lock Roll 300'	Per Foot
<input type="radio"/>	PVC INSERT-6"	6" PVC Corner Insert	
<input type="radio"/>	VM-290	Adhesive Caulking Clear 290ml	
<input type="radio"/>	VM-85	Adhesive Caulking Clear 85ml	
<input type="radio"/>	VM-GALV	Galvanizing Spray 400ml	

**Notes / Comments:**


**VINYL LINER VACUUM**

ASP-1	Vinyl Pool Vacuum	*
4PVC	4" PVC Rigid Tube ( 42" ) For Vinyl Vac	*
4FLEX	4" PVC Flex Tube ( 42" ) For Vinyl Vac	*
ASP-RENT	48 Hour Vinyl Vac Rental	\$60.00

**Notes / Comments:**
